

Dotec-Audio DeeVocoder

User's Guide

About DeeVocoder

Thank you for choosing Dotec-Audio DeeVocoder.

DeeVocoder is a VST/AU plugin with following features:

- Filter bank type stereo vocoder.
- 8/16/32 band switch for a Fat analog sound.
- Excellent performance with zero latency, unlike the FFT type.
- Band balance can be adjusted using only LOW, MID, and HIGH faders.
- Voice gender can be changed with formant shift.
- Sidechain input allows you to add any instrument sound to the carrier.


Installation on Windows OS

1. Those plug-ins are provided as a .dll and .vst3 and .aaxplugin folder (AAX).
2. To install the plug-ins, simply copy it to your system's shared VST or VST3 or AAX folder.
AAX folder : *C:\Program Files\Common Files\Avid\Audio\Plug-Ins*
3. If you're not sure where that is, please consult your music software's documentation.
4. If your music software is already running, you'll probably need to quit and restart if before the plugin is recognised.

Installation on MacOS

1. Those plug-ins are provided as a .vst (VST) and .component (AU) files and .aaxplugin (AAX) files.
2. To install the plug-ins, open “**install.pkg**” and follow the installer instructions.
3. If your music software is already running, you'll probably need to quit and restart before the plugin is recognised.

Panel Description



Enable/Disable Switch (Lightning Switch)

Enables/Disables DeeVocoder.

BAND

Switch between 8, 16 and 32 bands.

The lower the number, the rougher and more retro-like it is.

SIDECCHAIN indicator

This indicator shows the carrier signal (instrument sound) input from the sidechain.

Please refer to the manual of your DAW for instructions on how to input the sidechain.

IN indicator

Indicates the input modulator signal (voice).

This is the signal of the track in which this plug-in is inserted.

LOW,MID,HIGH

Adjusts the balance of the bands for the low, mid and high bands.

IN

Adjusts the volume of the modulator input.

FORMANT

You can change the formant of voice.

RELEASE

Adjust the release.

Shorter the tight, longer the smooth.

OUT

Output level.

How to Register

The DOTEK-AUDIO product becomes the "**product version**" by registering the serial key and e-mail address in the "**demo version**".

This section describes how to register the serial key you purchased.

Step 1



You can register serial key by clicking registration button.

Step 2

A screenshot of a 'Registration' dialog box. The title bar says 'Registration'. Inside, it says 'Please enter the serial key and your e-mail address for the registration.' There are three input fields: 'Serial key', 'E-mail address', and 'E-mail address(Verify)'. Each field has a red arrow pointing to it. At the bottom, there are three buttons: 'Open the shopping page', 'Cancel', and 'OK'. The 'OK' button is highlighted with a red rectangle.

This window will be displayed.

Please enter a serial key and your email address in the textbox and click OK button.

*** The registration requires an internet connection.**