

Dotec-Audio DeeBalance

User's Guide

About DeeBalance

Thank you for choosing Dotec-Audio DeeBalance.

Adjusts the balance between low, mid, and high frequencies to create a tight sound.

Installation on Windows OS

Those plug-ins are provided as a .dll and .vst3 and .aaxplugin folder (AAX).

To install the plug-ins, simply copy it to your system's shared VST or VST3 or AAX folder.

AAX folder : C:\Program Files\Common Files\Avid\Audio\Plug-Ins


If you're not sure where that is, please consult your music software's documentation.

If your music software is already running, you'll probably need to quit and restart if before the plugin is recognised.

Installation on MacOS

1. Those plug-ins are provided as a .vst (VST) and .component (AU) files and .aaxplugin (AAX) files.
2. To install the plug-ins, open “**install.pkg**” and follow the installer instructions.
3. If your music software is already running, you'll probably need to quit and restart before the plugin is recognised.

Panel Description



ENABLE button (left-upper):.

Enables DeeBalance. Off bypasses it.

AMOUNT:

Adjusts the effect amount.

SNAP:

Adjusts the strength of the snap feeling of the sound.

OUTPUT:

Output level

How to Register

The DOTEK-AUDIO product becomes the "**product version**" by registering the serial key and e-mail address in the "**demo version**".

This section describes how to register the serial key you purchased.

Step 1



You can register serial key by clicking registration button.

Step 2

Registration

Please enter the serial key and your e-mail address for the registration.

Serial key

E-mail address

E-mail address(Verify)

This window will be displayed.

Please enter a serial key and your email address in the textbox and click OK button.

*** The registration requires an internet connection.**